

表 III D-11 light cycler 反応条件の設定

Program 1 : Denaturation			
Cycle Program Data	Value		
Cycles	1		
Analysis Mode	None		
Target Temperature [°C]	95		
Incubation time [h : min : s]	0 : 10 : 00		
Temperature transition rate [°C/sec]	20.0		
Secondary target temperature [°C]	0		
Step size [°C]	0		
Step delay [Cycles]	0		
Acquisition mode	None		
Program 2 : Amplification			
Cycle Program Data	Value		
Cycles	45		
Analysis Mode	Quantification		
<i>Temperature Targets</i>	<i>Segment 1</i>	<i>Segment 2</i>	<i>Segment 3</i>
Target Temperature	95	65	72
Incubation time [h : min : s]	0 : 00 : 5	0 : 00 : 10	0 : 00 : 20
Temperature transition rate [°C/sec]	20.0	20.0	2.0
Secondary target temperature [°C]	0	0	0
Step size [°C]	0	0	0
Step delay [Cycles]	0	0	0
Acquisition mode	None	Single	None
Program 3 : Cooling			
Cycle Program Data	Value		
Cycles	1		
Analysis Mode	None		
<i>Temperature Targets</i>	<i>Segment 1</i>		
Target Temperature [°C]	40		
Incubation time [h : min : s]	0 : 00 : 30		
Temperature transition rate [°C/sec]	20.0		
Secondary target temperature [°C]	0		
Step size [°C]	0		
Step delay [Cycles]	0		
Acquisition mode	None		